This listing of claims will replace all prior versions, and listings, of claims in the application:

<u>Listing of Claims</u> (deleted text being struck through and added text being underlined):

1	1. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of with respect to the first
14	leaflet such that at least a portion of the first leaflet is
15	positioned between the second leaflet and the base panel, the
16	second leaflet comprising a second folded panel having a
17	second fold extending substantially parallel to the first axis of
18	the label structure; and
19	a laminating layer overlying the base panel, the first leaflet, and the
20	second leaflet, the laminating layer having a back face being
21	adhered to a portion of the base panel;
22	wherein the laminating layer contacts both the second leaflet and
23	the first leaflet.

- 1 2. (Original) The label structure of claim 1 wherein the first
- 2 fold is positioned toward the first side, and the second fold is
- 3 positioned closer to the second side of the label structure relative to
- 4 a position of the first fold.
- 1 3. (Original) The label structure of claim 2 wherein the back
- 2 face of the laminating layer is adhered to a portion of the first
- 3 leaflet and a portion of the second leaflet.
- 4. (Original) The label structure of claim 1 wherein the first
- 2 fold in the first folded panel defines a first fold axis and the second
- 3 fold in the second folded panel defining a second fold axis, the first
- 4 fold axis being oriented substantially parallel to the second fold
- 5 axis, the first and second fold axes being oriented substantially
- 6 parallel to the first axis.
- 5. (Original) The label structure of claim 4 wherein the first
- 2 fold axis is transversely spaced from the second fold axis such that
- 3 the first fold axis of the first leaflet is located relatively closer to
- 4 the first side of the label structure than the second fold axis of the
- 5 second leaflet.
- 6. (Original) The label structure of claim 5 wherein the back
- 2 face of the laminating layer is adhered to a portion of the first
- 3 leaflet and a portion of the second leaflet.
- 1 7. (Original) The label structure of claim 1 wherein the
- 2 laminating layer is substantially transparent.

1	o. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of with respect to the firs
14	leaflet such that at least a portion of the first leaflet is
15	positioned between the second leaflet and the base panel, the
16	second leaflet comprising a second folded panel having a
17	second fold extending substantially parallel to the first axis of
18	the label structure; and
19	a laminating layer overlying the base panel, the first leaflet, and the
20	second leaflet, the laminating layer having a back face being
21	adhered to a portion of the base panel;
22	wherein the front face of the base panel has first and second areas,
23	indicia being marked on the first area of the front face of the
24	base panel, indicia being marked on the second area of the
25	front face of the base panel, the first and second leaflets
26	overlying the second area of the front face and not overlying
27	the first area of the front face.

LEONARD & PROEHL

- 9. (Original) The label structure of claim 1 wherein the first fold divides the first folded panel into a pair of first leaves, each of the first leaves having an inner page face and an outer page face, the second fold dividing the second folded panel into a pair of second leaves, each of the second leaves having an inner page face and an outer page face.
- 1 10. (Original) The label structure of claim 9 wherein the 2 inner page faces of the first leaves are oriented inwardly toward 3 each other and the outer page faces of the first leaves are oriented 4 outwardly away from each other, the pair of first leaves comprising a front first leaf and a back first leaf, the outer page face of the 5 back first leaf being oriented toward the front face of the base 6 panel, the outer page face of the back first leaf being positioned 7 8 adjacent to the front face of the base panel, the outer page face of 9 the back first leaf being positioned adjacent to the second area of the front face of the base panel, each of the inner and outer page 10 faces of the front first leaf and the back first leaf being adapted for 11 12 permitting viewing of indicia marked thereon, the inner page faces 13 of the second leaves being oriented inwardly toward each other and the outer page faces of the second leaves being oriented outwardly 14 15 away from each other, the pair of second leaves comprising a front 16 second leaf and a back second leaf, the outer page face of the back 17 second leaf being oriented toward the outer page face of the front 18 first leaf, each of the inner and outer page faces of the front second 19 leaf and the back second leaf being adapted for permitting viewing 20 of indicia marked thereon.

11. through 25. (Cancelled)

→ PTO

1	26. (Currently Amended) A label system comprising:
2	a liner for removably carrying at least one label structure, the
3	liner being an elongate web, the liner having a longitudinal extent
4	extending along a length of the liner, the liner having front and
5	back faces, the front face of the liner comprising a release surface,
6	a silicone being applied to the release surface, the liner comprising
7	a paper product
8	a label structure removably applied to the liner, the label structure
9	having a first axis extending substantially parallel to the
10	longitudinal extent of the liner, the label structure having first
11	and second sides extending substantially parallel to the first
12	axis, the label structure comprising:
13	a base panel for affixing to a surface, the base panel having
14	front and back faces, the back face of the base panel
15	having an adhesive applied thereon for releasably
16	affixing the base panel on the release surface of the
17	liner, the adhesive on the back face of the base panel
18	being removably adhered to the release surface of the
19	liner, the adhesive on the back face of the base panel
20	comprising a pressure sensitive adhesive, the base panel
21	being substantially opaque, the front face of the base
22	panel having first and second areas, indicia being
23	marked on the first area of the front face of the base
24	panel, indicia being marked on the second area of the
25	front face of the base panel;
26	a first leaflet being positioned adjacent to the front face of the
27	base panel, the first leaflet being positioned against the
28	front face of the base panel, the first leaflet comprising
29	a first folded panel;
30	the first folded panel having a first fold, the first fold

31 extending substantially parallel to the first axis of 32 the label structure, the first fold being positioned 33 toward the first side, the first fold dividing the 34 first folded panel into a pair of first leaves, each 35 of the first leaves having an inner page face and an 36 outer page face; 37 the inner page faces of the first leaves being oriented 38 inwardly toward each other and the outer page 39 faces of the first leaves being oriented outwardly 40 away from each other, the pair of first leaves 41 comprising a front first leaf and a back first leaf. 42 the outer page face of the back first leaf being 43 oriented toward the front face of the base panel, 44 the outer page face of the back first leaf being 45 positioned adjacent to the front face of the base 46 panel, the outer page face of the back first leaf 47 being positioned adjacent to the second area of the 48 front face of the base panel, each of the inner and 49 outer page faces of the front first leaf and the back 50 first leaf being adapted for permitting viewing of 51 indicia marked thereon: 52 a second leaflet being positioned forward of with respect to 53 the first leaflet such that the first leaflet is positioned 54 substantially between the second leaflet and the base 55 panel, the second leaflet being stacked on the first 56 leaflet. 57 the second leaflet comprising a second folded panel, the 58 second folded panel having a second fold, the 59 second fold extending substantially parallel to the 60 first axis of the label structure, the second fold 61 being positioned toward the second side of the

62	label structure relative to a position of the first
63	fold, the second fold dividing the second folded
64	panel into a pair of second leaves, each of the
65	second leaves having an inner page face and an
66	outer page face;
67	the inner page faces of the second leaves being oriented
68	inwardly toward each other and the outer page
69	faces of the second leaves being oriented
70	outwardly away from each other, the pair of second
71	leaves comprising a front second leaf and a back
72	second leaf;
73	the outer page face of the back second leaf being
74	oriented toward the outer page face of the front
75	first leaf;
76	each of the inner and outer page faces of the front
77	second leaf and the back second leaf being adapted
78	for permitting viewing of indicia marked thereon;
79	wherein the first fold in the first folded panel defines a first
80	fold axis and the second fold in the second folded panel
81	defining a second fold axis, the first fold axis being
82	oriented substantially parallel to the second fold axis,
83	the first and second fold axes being oriented
84	substantially parallel to the first axis, the first fold axis
85	being transversely spaced from the second fold axis such
86	that the first fold axis of the first leaflet is located
87	relatively closer to the first side of the label structure
88	than the second fold axis of the second leaflet;
. 89	a laminating layer overlying the base panel, the first leaflet, and the
90	second leaflet, the laminating layer having front and back
91	faces, the back face of the laminating layer being adhered to a
92	portion of the base panel, the back face of the laminating layer

93

94

95

96

97

98 99

100 101

Appln. No. 09/931,336 Amendment dated June 10, 2005 Reply to Office Action mailed August 11, 2004

being adhered to the first area of the front face of the base panel, the back face of the laminating layer being adhered to a portion of the first leaflet and a portion of the second leaflet, the laminating layer being adhered to a portion of the outer page face of the front first leaf of the first folded panel, the laminating layer being adhered to a portion of the outer page face of the front second leaf of the second folded panel, the back face of the laminating layer having an adhesive applied thereto, the laminating layer being substantially transparent.

LEONARD & PROEHL

1 27. (Currently Amended) A label structure having a first axis 2 for extending substantially parallel to the longitudinal extent of a 3 liner, the label structure having first and second sides extending substantially parallel to the first axis, the label structure having a 4 front surface and a back surface, the label structure comprising: 5 6 a base panel for affixing to a surface, the base panel having front 7 and back faces, the back face of the base panel having an 8 adhesive applied thereon; 9 a first leaflet being positioned adjacent to the front face of the base 10 panel, the first leaflet comprising a first folded panel with a 11 first fold extending substantially parallel to the first axis of 12 the label structure: 13 a second leaflet being positioned forward of with respect to the first 14 leaflet such that substantially an entirety of the first leaflet is 15 positioned between the second leaflet and the base panel, the 16 second leaflet comprising a second folded panel having a 17 second fold extending substantially parallel to the first axis of 18 the label structure; and 19 a laminating layer overlying the base panel, the first leaflet, and the 20 second leaflet, the laminating layer having a back face being 21 adhered to a portion of the base panel.

1	28. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of with respect to the first
14	leaflet such that the first leaflet is positioned between the
15	second leaflet and the base panel, the second leaflet
16	comprising a second folded panel having a second fold
17	extending substantially parallel to the first axis of the label
18	structure; and
19	a laminating layer overlying the base panel, the first leaflet, and the
20	second leaflet, the laminating layer having a back face being
21	adhered to a portion of the base panel;
22	wherein the first fold of the first leaflet is spaced from the second
23	fold of the second leaflet.

LEONARD & PROEHL

→ PTO

J	29. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel for affixing to a surface, the base panel having front
7	and back faces, the back face of the base panel having an
8	adhesive applied thereon;
9	a first leaflet being positioned adjacent to the front face of the base
10	panel, the first leaflet comprising a first folded panel with a
11	first fold extending substantially parallel to the first axis of
12	the label structure;
13	a second leaflet being positioned forward of with respect to the first
14	leaflet such that at least a portion of the first leaflet is
15	positioned between the second leaflet and the base panel, the
16	second leaflet comprising a second folded panel having a
17	second fold extending substantially parallel to the first axis of
18	the label structure; and
19	a laminating layer overlying the base panel, the first leaflet, and the
20	second leaflet, the laminating layer having a back face being
21	adhered to a portion of the base panel;
22	wherein the second leaflet is stacked on the first leaflet when the
23	first leaflet and the second leaflet are in a closed condition.

1	30. (Currently Amended) A label structure having a first axis
2	for extending substantially parallel to the longitudinal extent of a
3	liner, the label structure having first and second sides extending
4	substantially parallel to the first axis, the label structure having a
5	front surface and a back surface, the label structure comprising:
6	a base panel forming the back surface of the label structure for
7	affixing to a surface, the base panel having front and back
8	faces, the back face of the base panel having an adhesive
9	applied thereon;
10	a first leaflet being positioned adjacent to the front face of the base
11	panel, the first leaflet comprising a first folded panel with a
12	first fold extending substantially parallel to the first axis of
13	the label structure;
14	a second leaflet being positioned forward of with respect to the first
15	leaflet such that at least a portion of the first leaflet is
16	positioned between the second leaflet and the base panel, the
17	second leaflet comprising a second folded panel having a
8	second fold extending substantially parallel to the first axis of
9	the label structure; and
20	a laminating layer forming the front surface of the label structure
21	and overlying the base panel, the first leaflet, and the second
22	leaflet, the laminating layer having a back face being adhered
23	to a portion of the base panel;
24	wherein the laminating layer is forward of the base panel and the
25	base panel is rearward of the laminating layer, and wherein an
6	entirety of the second leaflet is positioned forward of the first
7	leaflet.

- 1 31. (Currently Amended) The label structure of claim 1
- 2 wherein the laminating layer forms the front surface of the label
- 3 structure and the base panel forms the back surface of the label
- 4 structure, and wherein the second leaflet does not extend rearwardly
- 5 of between the first leaflet and the base panel when in a closed
- 6 condition.
- 1 32. (Currently Amended) The label structure of claim 1
- 2 wherein the laminating layer forms the front surface of the label
- 3 structure and the base panel forms the back surface of the label
- 4 structure, and wherein the first leaflet does not extend forwardly of
- 5 between the second leaflet and the laminating layer when in a closed
- 6 condition.
- 1 33. (Previously Presented) The label structure of claim 1
- 2 wherein the first fold of the first leaflet is transversely spaced from
- 3 the second fold of the second leaflet.
 - 34. (Cancelled)